

ESDEC

INNOVATIVE MOUNTING SYSTEMS

THE EFFICIENT SOLAR MOUNTING SYSTEM FOR SLOPED ROOFS

CLICKFIT

BASIC

TILEDROOF



www.esdec.com



EASY CLICK SYSTEM, FAST INSTALLATION

With its unique click connection, Clickfit for tiled roofs is an easy-to-install mounting system for sloped roofs. The system distinguishes itself with its innovative design and is therefore very easy to install, without making concessions to quality. The mounting system is constructed of the patented roof hooks, mounting rails and the necessary mounting materials to mount the solar panels on the mounting rail in a way that follows the shape of the roof. The Clickfit mounting system for tiled roofs can be used for all types of tiled roofs, regardless of the type of tile.

- Fast and easy mounting
- Unique click system
- Just one tool required
- Also available in a black finish
- 100% Dutch product
- 20-year guarantee
- BDA/KIWA-certified

Landscape and portrait orientation


The solar panels can be placed on the roof in both landscape (horizontal) or portrait (vertical) orientation. The choice can be made depending on the dimensions of the roof and the desired number of solar panels.

Guaranteed quality!

Clickfit has been extensively tested and certified by BDA/KIWA and fully complies with the applicable requirements and standards of the NEN7250. The Clickfit mounting system for tiled roofs is delivered with a unique 20-year guarantee, which guarantees the quality of the system.

Clickfit for all types of roofs

Our Clickfit Basic mounting system for solar panels offers a sustainable solution for use on every type of roof and is also available for steel roofs, shingle roofs, corrugated sheet roofs and bitumen roofs.



ROOF FASTENERS



ClickFit Roofhook	
Medium*	1002010
Medium HV**	1002011
Medium HVG***	1002013
Multi	1002030
Multi HV	1002031
Multi HVG	1002033

* Also available in standard (30-39mm) - 1002001 & wide (51-63mm) - 1002020

** Also available in standard (30-39mm) - 1002002 & wide(51-63mm) - 1002021

*** Also available in standard (30-39mm) - 1002003 & wide (51-63mm) - 1002023

MOUNTING PROFILES



ClickFit Mounting rail*	
Mounting rail 3075mm	1001003
Mounting rail 6150mm	1001005



ClickFit Mounting rail end cap	
Black	1003030

* Other sizes by request

MOUNTING MATERIALS



Esdec Mounting screw*	
6,5x19mm	1006519
6,5x55mm	1006555
6,5x60mm	1006560
6,5x63mm	1006563
6,5x70mm	1006570
6,5x75mm	1006575

* Depending on the panel thickness and corresponding end clamp

MOUNTING MATERIALS



ClickFit Serrated flange nut M8
1000721



ClickFit Screw M8 x 20mm
1000820



ClickFit Cross connector
1003040



ClickFit Height adjustment piece 15mm
1003065

ClickFit Auxiliary assembly set – consisting of:
1009010



ClickFit Nut M6
1000600



ClickFit Bolt M6 x 20mm
1000620



ClickFit Nylon sleeve
1009001

CLAMPS



ClickFit End clamp CFA*/**
1003003



ClickFit End clamp CFB*/***
1003004



Esdec Module clamp*
1003020



Esdec Mounting screw cap black
1006500

* Also available in black

** Suitable for panel thickness: 50,49 - 46,45 - 42,41 - 38,37 - 34,33 - 30,29mm

*** Suitable for panel thickness: 52,51 - 48,47 - 44,43 - 40,39 - 36,35 - 32,31mm



**QUICK
RELIABLE
INNOVATIVE**

WE ARE AT YOUR SERVICE

With our 12 years of experience we know what questions professionals have. Our commercial support and technical support department are happy to assist you.

Esdec

Londenstraat 16
7418 EE Deventer
The Netherlands

☎ +31 850 702 000

✉ info@esdec.com



www.esdec.com